



# ERCIYES MEDICAL JOURNAL

Indexed in  
Web of Science

## Original Investigations

Diffusion-Weighted MR Imaging in Pleural Diseases  
Mustafa Koç and Ahmet Kürşad Poyraz; Elazığ, Turkey


Diastolic Strain Index for Thyroid Nodule  
Hasan Yerli and Tuğbahan Yılmaz; İzmir, Turkey

Evaluation of *in vitro* Fertilization by Internist  
Pınar Yıldız et al.; Eskişehir, Turkey

Iron Sucrose Versus Ferric Carboxymaltose  
Muzaffer Keklik et al.; Kayseri, Turkey

Genetic Basis of Infective Endocarditis  
Aydın Tunçay et al.; Kayseri, Turkey

Factors Affecting the Number of Shock Wave  
Canan Kocaoğlu et al.; Konya, Diyarbakır, Turkey





# ERCIYES MEDICAL JOURNAL

## Editor in Chief

M. Hakan POYRAZOĞLU

*Divisions of Pediatric Nephrology and Rheumatology, Department of Pediatrics, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

## Editors

Hakan AKINTÜRK

*Chefarzt der Abteilung Kinderherzchirurgie, Kinderherzcentrum Giessen, Universitatlinikum Giessen und Marburg GmbH, Germany*

Ali BAYKAN

*Division of Cardiology, Department of Pediatrics, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Cem EVEREKLİOĞLU

*Department of Ophthalmology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Fatih TANRIVERDİ

*Department of Internal Medicine, Division of Endocrinology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Mustafa Koray GÜMÜŞ

*Department of Ophthalmology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Nihal HATİPOĞLU

*Division of Pediatric Endocrinology, Department of Pediatrics, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Emine Alp MEŞE

*Department of Clinical Microbiology Infectious Diseases, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Murat Hayri SİPAHİOĞLU

*Division of Nephrology, Department of Internal Medicine, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Hamiyet ALTUNTAŞ

*Department of Medical Biology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Gülden BAŞKOL

*Department of Medical Biochemistry, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Teoman ESKİTAŞCIOĞLU

*Department of Aesthetic, Plastic and Reconstructive Surgery, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

## Statistical Editor

Osman GÜNAY

*Department of Public Health, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

## Former Editors

Bedri KANDEMİR

*Retired Professor, Ondokuz Mayıs University, Samsun, Turkey*

Aydın PAŞAOĞLU

*Retired Professor, Kayseri University, Kayseri, Turkey*

Eyüp S. KARAKAŞ

*Retired Professor, Kayseri University, Kayseri, Turkey*

Zeki YILMAZ

*Department of General Surgery, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Cem SÜER

*Department of Physiology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

Salih ÖZGÖÇMEN

*Department of Physical Medicine and Rehabilitation, Division of Rheumatology, Faculty of Medicine, Erciyes University, Kayseri, Turkey*

## Editorial Office Staff

Şerife SERİM

Emel TORUN

## Contact

**Address:** Erciyes Üniv. Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu, 38039 Talas, Kayseri, Turkey

**Phone:** +90 352 207 66 66 (23008)

**Fax:** +90 352 437 52 85

**E-mail:** erciyesmedj@gmail.com

*Erciyes Üniversitesi Tıp Fakültesi adına sahibi ve Sorumlu Yazı İşleri Müdürü / Owner and Responsible Manager on behalf of the Erciyes University Faculty of Medicine: M. Hakan POYRAZOĞLU • Yayın türü / Publication Type: Yerel süreli / Bimonthly periodical • Basım yeri / Printed at: Matsis Matbaa Hizmetleri San. ve Tic.Ltd.Şti, Tevfikbey Mah., Dr. Ali Demir Cad. No: 51, 34290 Sefaköy, Turkey (+90-212-624 21 11) • Basım tarihi / Printing Date: Haziran 2017/ June 2017*



**Publisher**  
İbrahim KARA

**Publication Director**  
Ali ŞAHİN

**Deputy Publication Director**  
Gökhan ÇİMEN

**Publication Coordinators**  
Betül ÇİMEN

Zeynep YAKIŞIRER

Gizem KAYAN

Melike Buse ŞENAY

Özlem ÇAKMAK

**Project Coordinator**  
Hakan ERTEN

**Project Assistants**

Aylin ATALAY

Şükriye YILMAZ

Cansu ERDOĞAN

**Graphics Department**

Ünal ÖZER

Neslihan YAMAN

Deniz DURAN

**Contact**

Address:

Büyükdere Cad.

No: 105/9 34394 Mecidiyeköy,

Şişli-İstanbul

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

E-mail: info@avesyayincilik.com



## International Editorial Board

Abdullah KEÇİK - *Department of Plastic, Reconstructive and Aesthetic Surgery, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Adem GÜNGÖR - *Department of Chest Surgery, Faculty of Medicine, Ankara University, Ankara, Turkey*

Arif KÖKÇÜ - *Department of Obstetrics and Gynecology, Faculty of Medicine, Ondokuz Mayıs University, Samsun, Turkey*

Ata Nevzat YALÇIN - *Department of Infection Diseases, Faculty of Medicine, Akdeniz University, Antalya, Turkey*

Bartu SARISÖZEN - *Department of Orthopedics and Traumatology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Bayram YILMAZ - *Department of Physiology, Faculty of Medicine, Yeditepe University, İstanbul, Turkey*

Bekir YAŞAR - *Department of General Surgery, Faculty of Medicine, Osmangazi University, Eskişehir, Turkey*

Douglas J. MATHISEN - *Division of Thoracic Surgery, Cardiothoracic Surgery, Boston: Massachusetts General Hospital, USA*

Ellen C. JANTZEN - *The Children's Hospital of Philadelphia, Philadelphia, PA, USA*

Erkan İRİZ - *Department of Cardiovascular Surgery, Faculty of Medicine, Gazi University, Ankara, Turkey*

Ertan YILMAZ - *Department of Dermatology, Faculty of Medicine, Akdeniz University, Antalya, Turkey*

Ertuğrul ÖZBUDAK - *Department of Genetics Albert Einstein College of Medicine Yeshiva University, New York, NY, USA*

Felipe F. CASANUEVA - *Hospital Clinico Universitario, Endocrine Division, Santiago de Compostela, Spain*

Fidel ZAVALA - *Department of Molecular Microbiology and Immunology, Bloomberg Faculty of Public Health, Johns Hopkins University, Baltimore, MD, USA*

Gökhan ÖZYİĞİT - *Department of Radiation Oncology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Gönül ÖCAL - *Department of Child Health and Diseases, Division of Endocrinology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Gunnar HILLERDAL - *Lung Medicine - Karolinska University Hospital, Stockholm, Sweden*

H. Dwight CAVANAGH - *Department of Ophthalmology, Ut Southwestern Medical Center, Dallas, Texas, USA*

Hakan ÖZDOĞU - *Department of Internal Medicine, Division of Hematology, Faculty of Medicine, Başkent University, Ankara, Turkey*

Haluk TOPALOĞLU - *Department of Child Health and Diseases, Division of Neurology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Hatice PAŞAOĞLU - *Department of Biochemistry, Faculty of Medicine, Gazi University, Ankara, Turkey*

Hüseyin DINDAR - *Department of Pediatric Surgery, Faculty of Medicine, Ankara University, Ankara, Turkey*

İlknur BOSTANCI - *Department of Pediatric Immunology and Allergy, Dr. Sami Ulus Obstetrics and Gynecology, Child Health and Diseases Hospital, Ankara, Turkey*

Levent ÖZÇAKAR - *Department of Physical Medicine and Rehabilitation, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Massimo FILIPPI - *Neuroimaging Research Unit, Institute of Experimental Neurology, and Department of Neurology, San Raffaele Scientific Institute, Vita-Salute San Raffaele University, Milan, Italy*

Mazhar Semih BASKAN - *Department of General Surgery, Faculty of Medicine, Ankara University, Ankara, Turkey*

Mehmet Akif ÖZTÜRK - *Department of Internal Medicine, Division of Rheumatology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Mehmet UNGAN - *Department of Family Medicine, Faculty of Medicine, Ankara University, Ankara, Turkey*

Mehmet ZARİFOĞLU - *Department of Neurology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Mehtap BULUT - *Department of Emergency Medicine, Bursa Şevket Yılmaz Training and Research Hospital, Bursa, Turkey*

Meltem ÇÖL - *Department of Public Health, Faculty of Medicine, Ankara University, Ankara, Turkey*

Mustafa ARICI - *Department of Internal Medicine, Division of Nephrology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Muzaffer METİNİTAŞ - *Department of Chest Diseases, Faculty of Medicine, Osmangazi University, Eskişehir, Turkey*

Okan Bülent YILDIZ - *Department of Internal Medicine, Division of Endocrinology and Metabolism, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Ömer YERÇİ - *Department of Pathology, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Petek KORKUSUZ - *Department of Histology and Embryology, Faculty of Medicine, Hacettepe University, Ankara, Turkey*

Ramazan İDİLMAN - *Department of Internal Medicine, Division of Gastroenterology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Rüstem NURTEN - *Department of Biophysics, Faculty of Medicine, İstanbul University, İstanbul, Turkey*

Saadet ARSAN - *Department of Child Health and Diseases, Division of Neonatology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Salih ŞANLIOĞLU - *Department of Medical Genetics, Faculty of Medicine, Antalya University, Antalya, Turkey*

Selçuk KIRLI - *Department of Psychiatry, Faculty of Medicine, Uludağ University, Bursa, Turkey*

Semra ATALAY - *Department of Child Health and Diseases, Division of Cardiology, Faculty of Medicine, Ankara University, Ankara, Turkey*

Semra PAYDAŞ - *Department of Internal Medicine, Division of Oncology, Faculty of Medicine, Çukurova University, Adana, Turkey*

Şükrü EMRE - *Section of Transplantation and Immunology, Yale-New Haven Transplantation Center Department of Surgery, Yale University Faculty of Medicine, New Haven, USA*

Tansu MERTOL - *Saudi Arabia Dammam University King Fahd Hospital, Dammam, KSA*

Tezer KUTLUK - *Department of Internal Medicine, Division of Oncology, Faculty of Medicine, Hacettepe University, Adana, Turkey*

Turgut ALKIBAY - *Department of Urology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Ülker KOÇAK - *Department of Child Health and Diseases, Division of Hematology, Faculty of Medicine, Gazi University, Ankara, Turkey*

Vildan MULLIN - *Division of Pain Management, Tallahassee Neurological Clinic, Tallahassee, FL, USA*

William A. COETZEE - *Director of Research Departments of Pediatrics, Neuroscience and Physiology and Biochemistry and Molecular Pharmacology, New York University, Langone Medical Center, New York, NY, USA*

Yaşar ÇOKKESER - *Department of Ear, Nose, and Throat Diseases, Faculty of Medicine, Special Primer Hospital, Gaziantep, Turkey*

Yat Yin LAM - *Division of Cardiology, Department of Medicine and Therapeutics, Chinese University of Hong Kong, Hong Kong, PRC*



## Aims and Scope

Erciyes Medical Journal is an independent, unbiased, international, double-blind peer-reviewed, open access journal published in English. The journal, which has been in continuous publication since 1978, is published four times per year in March, June, September and December.

The journal accepts clinical and experimental research articles in different fields of medicine, original case reports, letters to the editor and invited reviews for publication. Research articles and case reports on regionally frequent and specific medical topics are prioritized. Manuscripts on national and international scientific meetings and symposiums and manuscripts sharing scientific correspondence and scientific knowledge between authors and their readers are also published.

Erciyes Medical Journal is funded by the Erciyes University Medical Faculty. The content of the journal, including full text articles, is available online at [www.erciyesmedj.com](http://www.erciyesmedj.com) free of charge. Authors are not required to pay for evaluation and publication of their manuscripts; however a payment is required for publication of coloured images within a manuscript.

At all the stages from submission to publication, the Erciyes Medical Journal acts in accordance with the standards outlined by the International Committee of Medical Journal Editors (ICMJE), World Association of Medical Editors (WAME), Council of Science Editors (CSE), European Association of Science Editors (EASE) and Committee on Publication Ethics (COPE). The Erciyes Medical Journal is indexed in Web of Science-Emerging Sources Citation Index, TUBITAK ULAKBIM TR Index, Embase, Scopus, DOAJ, HINARI, EBSCO and ProQuest.

Instructions for authors are available online at [www.erciyesmedj.com](http://www.erciyesmedj.com) and in the printed version of the journal. Statements or opinions expressed in the manuscripts published in Erciyes Medical Journal reflect the views of the author(s); the editors, editorial board and publisher disclaim any responsibility or liability for such materials. Erciyes Medical Journal is printed on acid-free paper.

OPEN  ACCESS



### Contact

Editor in Chief: Prof. M. Hakan POYRAZOĞLU

Address: Erciyes Üniversitesi Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu,  
Talas, Kayseri, Turkey

Phone: +90 352 207 66 66/23008

Fax: +90 352 437 52 85

E-mail: [erciyesmedj@gmail.com](mailto:erciyesmedj@gmail.com)

Webpage : [www.erciyesmedj.com](http://www.erciyesmedj.com)

Publisher: AVES

Address: Büyükdere cad. 105/9 34394 Mecidiyeköy, Şişli, İstanbul, Türkiye

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

E-mail: [info@avesyayincilik.com](mailto:info@avesyayincilik.com)

Webpage : [www.avesyayincilik.com](http://www.avesyayincilik.com)



## Information for the Authors

Erciyes Medical Journal is published by Erciyes University Medical Faculty which implements the double-blind peer review process. The journal publishes research articles on clinical and experimental subjects from all fields of medicine, review articles on up-to-date topics, letters to the editor, manuscripts on historical progress of general medicine and diseases and content on scientific research and ethical problems. Only online article submissions are accepted ([www.erciyesmedj.com](http://www.erciyesmedj.com)).

The basic qualities expected from a manuscript during evaluation processes for the acceptance to publication are; the originality and the contribution to the international scientific literature and to the continuing medical education.

Responsibility for the data, opinions and statements of published articles belong to the author(s), and the Editors, Editorial Board, Publisher and Erciyes University Medical Faculty disclaim any responsibility on these issues.

It is essential for a submitted article to be non-previously published in any other printed or electronic media. Submission of previous reviewer reports is mandatory for articles which have previously been submitted for publication in another journal and rejected. This practice will shorten the evaluation process of the article. If a submitted manuscript has previously been presented at any meeting, the name, date and city in which the meeting was held should be stated or it should be mentioned whether a submitted manuscript is preliminary study or part of a thesis.

The author(s) should transfer all their local and international copyrights of their submitted article to Erciyes University Medical Faculty and the Copyright Transfer Form should be signed by all author contribution form. The original copy of the form should be posted to the editorial office of the journal. Author(s) are considered to accept that they cannot publish their article in any other language or media and cannot authorize a third party to do so without the written permission of the editorial office.

Any form of text, image or reference used within the article is the responsibility of the author(s). It is their responsibility to acquire local or/and international copyright permissions of tables, figures and other images used in their manuscript. The author will be responsible for any losses that the journal may incur as a result of these issues.

Rejected manuscripts will not be returned to the author.

The format of submitted manuscripts should be appropriate to the guidelines stated in *ICMJE-Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2015 - <http://www.icmje.org/icmje-recommendations.pdf>)*. The most up-to-date version of the guide in question is available at [www.icmje.org](http://www.icmje.org). Manuscripts should be written in "MS Word" program in the "Times New Roman 11 Points", double-spaced and justified. Page format should be A4 size; with spaces of "2.5 cm" on the right, the left, the top and the bottom.

CONSORT guidelines for randomized studies, STROBE guidelines for observational studies, STARD for diagnostic studies, PRISMA for systematic reviews and meta-analysis, ARRIVE for animal experimental studies and TREND for non-randomized behavioral and public health intervention studies, should be taken into consideration.

In order to clarify the subjects of scientific contributions, responsibilities and conflicts of interest on the article, all authors should sign and send the Authorship Contribution Form and ICMJE Form for Disclosure of Potential Conflicts of Interest to the Editorial Office. Practices of the journal on this subject are in accordance with the rules of the International Committee of Medical Journal Editors (ICMJE) and Council of Science Editors (CSE).

The Editorial Office inspects all submitted manuscripts concerning plagiarism and duplication. If an ethical problem is detected, the editorial office will act according to the Committee on Publication Ethics (COPE) guidelines.

The authors should acknowledge and provide information on grants or other financial interests or affiliations with institutions, organizations, or companies relevant to the manuscript.

An Ethics Committee Report, prepared in accordance with "Guide for the Care and Use of Laboratory Animals" of the Helsinki Declaration prepared by the World Medical Association (WMA), is required for experimental, clinical and drug studies and some case reports. The Editorial Office may request the report of the ethics committee or an equivalent official document from the authors if found necessary. Manuscripts reporting results of experimental studies practiced on volunteers and patients should include a patient and volunteer consent statement after explaining the procedure(s) thoroughly. For animal experimental studies, measures taken to reduce pain and discomfort should be clearly stated.

Manuscripts submitted for publication should be written in English. Manuscripts submitted in other languages will be rejected.

Editors inspect whether a submitted manuscript is prepared in accordance with the journal's manuscript preparation rules before assigning the manuscript to reviewers. Manuscripts which are not written in accordance with the journal's manuscript preparation rules will not be evaluated. 21 days are allocated for reviewer evaluations and, if any corrections are required, 28 days are allocated for the author to implement the requested corrections.





All manuscripts will pass through a pre-evaluation process by the Editors and Associate Editors in the first stage of submission. Subsequently, manuscripts are assigned to at least two reviewers for evaluation. Reviewers are selected among external and independent specialists who also have publications in international literature in the same field. Research articles, systematic review articles and meta-analysis manuscripts will be checked by the statistical editor in addition to the assigned reviewers. All manuscripts are also checked for English grammatical and manuscript preparation rules.

Any retraction requests of manuscripts close to the final decision, without reasonable explanation, will be rejected. All authors of a manuscript accepted for publication should consent that editors could make corrections without changing the basic meaning of the text of the manuscript written.

The written files should be prepared in the Microsoft Word program. The Online Paper Acceptance and Evaluation System will be transferred to the authors at all stages and sending of the paper will be accomplished as rapidly and safely as possible. The paper files should be structured according to their types as follows:

#### **Research article**

The manuscript title should be stated first. A structured abstract of the article including Objective, Materials and Methods, Results and Conclusion sub-headings should be given below the title. Maximum total word count of the abstracts should be 250 (Turkish abstract is not mandatory for authors submitting outside Turkey). At least 3, at most 6, keywords concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included in each research article. Title, abstract and keywords should be written in both Turkish and English languages (Turkish is not mandatory for authors submitting from outside Turkey). The main text should include Introduction, Materials and Methods (with sub-headings), Results, Discussion, Study Limitations, Conclusion, References, Tables-Figures-Images sections and it should not exceed 5000 words. A maximum of 50 references is sufficient regarding acceptability.

Statistical analysis should be performed in accordance with guidelines on reporting statistics in Medical journals (Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. *Br Med J* 1983; 7(6376): 1489-93). The software used for statistical analysis should be described. When parametric tests are used for comparison of continuous variables, they should be presented as Mean±Standard Deviation or Mean±Standard Error, while for nonparametric tests, data should be presented as Median and range (Minimum- Maximum) or Median and interquartile range (25th and 75th percentiles). Whenever complex analyses are used, the relative risk (RR, relative risk) odds (OR, odds ratio) and hazard ratios values (HR, hazard ratio) should be supported by providing confidence intervals and p values.

#### **Review article**

Review articles are accepted by invitation only. Manuscripts prepared by experts who have extensive knowledge in the field and whose knowledge has been projected to the literature as publications and citations will be evaluated. Review articles should be prepared concerning the latest clinical progress on a piece of information or a subject in a format which explains, discusses, evaluates and guides future studies. Review articles should include a title and an unstructured abstract of a maximum 250 words (Turkish abstract is not mandatory for authors submitting outside Turkey). At least 3, at most 6 keywords, concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included. Title, abstract and keywords should be written in both Turkish and English languages (Turkish is not mandatory for authors submitting outside Turkey). With regard to the content of the manuscript, sub-headed main-text, references and tables-figures-images should be included. Total word count of a review article should not exceed 5000.

#### **Case Report**

Our journal reserves a limited space for case reports. Only interesting and informative case reports which are about rare diseases which are difficult to diagnose and treat or which suggest a new method, or include new information which cannot be found in the literature, will be published. A title and an unstructured abstract of maximum 200 words should be included in each case report. At least 3, at most 6, keywords concordant with MeSH vocabulary terms prepared by the National Library of Medicine (NLM) should be included. Title, abstract and keywords should be written in both Turkish and English languages (Turkish abstract is not mandatory for authors submitting outside Turkey). The main text should include Introduction, Case Report, Discussion, Conclusion, References and Tables-Figures-Images sections. Total word count should not exceed 1500. Case reports should not include more than 10 references.

#### **Editorial Comment**

Editorial Comments should include short discussion and presentation of a research article published in the journal. Editorials are written by the distinguished authors in the field who is invited by the editors. Editorials should be written in English with a maximum of 1500 words and 25 references.

#### **Letter to the Editor**

This type of manuscript discusses the importance, missing parts or an overlooked structure of a previously published article. Authors can also submit their comments to the editor on a subject which may be in the reader's field of interest especially on educational cases, in the Letter to the Editor form. Maximum reference number is 10 and no titles of sub-headings are required. A Letter to the Editor should not exceed 1000 words. Volume, year, issue, page numbers, title and author names of the article mentioned in a Letter to the Editor should be stated clearly.

#### **Scientific Letter**

Manuscripts with prior notification characteristics announcing new, clinically important scientific developments or information are accepted as Scientific Letters. Scientific Letters should not include sub-headings and should



not exceed 1500 words. The number of references should be limited to 15 and number of tables or figures should be limited to 2.

**Education:** Results of recently concluded research and conclusive information used in academic education and clinical practice are presented in detail in this type of manuscripts. Title should be given in both Turkish and English languages (Turkish is not mandatory for authors submitting outside Turkey). With regard to the content of the manuscript, sub-headed main-text, references and tables-figures-images should be included. Total word count should not exceed 5000 and total reference number should be limited to 50.

Author names, institution details and contact details, should not be included in the submitted document. These details should be filled in the relevant sections in the online manuscript submission system. All tables, figures, graphs and images should be visibly numbered within the article text and patient, physicians and institution names should be blinded. For microscopic figures, in addition to explanatory information, zoom levels and coloring techniques should also be stated. Line drawings should be done in a professional manner and, in pictures showing a patient's face, patient name and eyes should be covered so that the identity of the patient is not revealed. All images should be in high resolution at minimum 300 dpi. Lines with sufficient thickness should be used in graphs, thus preventing possible losses if resizing is necessary. Widths of images should be either 9 or 18 cm. Line drawings prepared by professionals are more appropriate. Gray tones should not be used in figures. Used abbreviations should be explained below each image in alphabetical order. Roman numerals should not be used in table and figure headings and sub-texts. Roman numerals should be avoided while numbering the Tables and Figures, or while identifying the tables in the text. Decimal fractions in the text, tables and figures should be separated by decimal points in sections in English and commas in sections in Turkish. In particular, tables should be explanatory for the text and should not duplicate the data given in the text.

References should be numbered in the order of citation in the main text (Vancouver style). Only published studies or studies accepted for publication should be cited. Abbreviations of journal titles should be done in accordance with journal abbreviations used in Index Medicus. For publications with 6 or fewer authors, a list of all authors is required, for publications with 7 or more authors, the first 6 authors should be listed, followed by "et al". Reference styles and punctuations should be in accordance with the examples below.

**Periodicals:** Mackness MI, Mackness B, Durrington PN, Fogelman AM, Berliner J, Lusic AJ, et al. Paraoxonase and coronary heart disease. *Curr Opin Lipidol* 1998; 9(2): 319-24.

**Book chapters:** Gary B. Green Peter M. Hill Approach To Chest Pain. In Judith E. Tintinalli, MD, MS, Editor. *Emergency Medicine*. 6th ed. New York: McGraw-Hill; 2004.p.333-43.

**Personal author(s):** Cohn PF. Silent myocardial ischemia and infarction. 3rd ed. New York: Marcel Dekker; 1993. Editor(s) as author(s): Norman IJ, Redfern SJ, editors. *Mental health care for elderly people*. New York: Churchill Livingstone; 1996.

**Article presented in a meeting:** Bengissson S, Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors. *MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics*; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992.p.1561-5.

**Scientific or technical reports:** Smith P, Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and

Inspections; 1994 Oct. Report No: HHSIGOE 169200860.

**Dissertation:** Kaplan SI. Post-hospital home health care: the elderly access and utilization (dissertation). St. Louis (MO): Washington Univ. 1995.

**Articles in electronic formats:** Morse SS. Factors in the emergence of infectious diseases. *Emerg Infect Dis* (serial online) 1995 Jan-Mar (cited 1996 June 5); 1(1): (24 screens). Available from: URL: <http://www.cdc.gov/ncidodl/EID/cid.htm>.

Extensive information on manuscript submission and evaluation process is available at [www.erciyesmedj.com](http://www.erciyesmedj.com). The Editorial Office or the Publisher can be contacted for further questions using the contact details below.

**Editorial Office:** Prof. M. Hakan POYRAZOĞLU  
Address: Erciyes Üniversitesi Tıp Fakültesi Dekanlığı, Erciyes Tıp Dergisi Bürosu, Talas, Kayseri, Turkey  
Phone: +90 352 207 66 66/23008  
Fax: +90 352 437 52 85  
E-mail: [erciyesmedj@gmail.com](mailto:erciyesmedj@gmail.com)

**Publisher:** AVES  
Address: Büyükdere cad. 105/9 34394 Mecidiyeköy, Şişli, İstanbul, Turkey  
Phone: +90 212 217 17 00  
Fax: +90 212 217 22 92  
E-mail: [info@avesyayincilik.com](mailto:info@avesyayincilik.com)



## Original Investigations

The Role of Diffusion-Weighted MR Imaging in Detecting Malignant and Benign Pleural Thickening in Asbestos-Related Pleural Diseases  
Mustafa Koç, Ahmet Kürşad Poyraz; *Elazığ, Turkey*

44

Diastolic Sonoelastographic Strain Index for the Management of Thyroid Nodules  
Hasan Yerli, Tuğbahan Yılmaz; *İzmir, Turkey*

48

Evaluation of *in vitro* Fertilization Planned Patients in terms of Internist Perspective  
Pinar Yıldız, Yunus Aydın, Muzaffer Bilgin, Hikmet Hassa; *Eskişehir, Turkey*

54

Evaluation of Iron Sucrose and Ferric Carboxymaltose Therapies in Patients with Iron Deficiency Anemia  
Muzaffer Keklik, Uğur Kalan, Serdal Korkmaz, Gülşah Akyol, Bilal Aygün, Ertuğrul Keklik; *Kayseri, Turkey*

59

Investigation of Genetic Polymorphisms in Infective Endocarditis and Artificial Valve Thrombosis  
Aydın Tunçay, Elif Funda Şener, Ömer Naci Emiroğulları; *Kayseri, Turkey*

63

Factors Affecting the Number of Shock Wave Lithotripsy Session in Children with Renal Stones: Are age and Radiolucency the Predictors of Success?  
Canan Kocaoğlu, Mustafa Soran, Çelebi Kocaoğlu, Abdurrahman Önen; *Konya, Diyarbakır, Turkey*

67

## Case Reports

Solitary Osteoma within the Cavity of a Pneumatized Middle Turbinate  
Aleksandar Perić, Mirjana Čvorić, Biserka Vukomanović Durdević; *Belgrade, Šabac, Serbia*

72

Incidentally Detected Gastric Foregut Duplication Cyst: A Case Report  
Adem Bayraktar, Hüseyin Bakkaloğlu, Ömer Cenk Cücük, Metin Keskin, Ali Fuat Kaan Gök, Orhun Çiğ Taşkın, Gülçin Yeğen, Ali Emin Aydın; *İstanbul, Turkey*

76

Juvenile Granulosa Cell Tumor of the Testis in a Newborn with Swelling in the Scrotum: A Rare case and Literature Review  
Tugay Tartar, Mehmet Saraç, Ünal Bakal, Şenay Canpolat, Ahmet Kazez; *Elazığ, Turkey*

78

## Letters to the Editor

Facial Telangiectasia Bleeding After Laparoscopic Radical Nephrectomy in Trendelenburg Position  
Pinar Kendigelen, Çetin Demirdağ, Bülent Önal, Zübeyr Talat, Güner Kaya; *İstanbul, Turkey*

83

Informed Consent of Patients without Reading Skills in Ultrasound-Guided Biopsy: Beware of the Liability!  
Nuri Erdoğan, Hakan İmamoğlu, Serap Doğan; *Kayseri, Turkey*

85